BRITISH JOURNAL OF HAEMATOLOGY

Vol. 87 No. 1 May 1994

ANNOTATION. Andrew J. Nicol, Jill M. Hows and Benjamin A. Bradley. Cord blood transplantation: a practical option? 1

Antonio Bernad, Florencio Varas, Jesús M. Galego, Jose M. Almendral and Juan A. Bueren. *Ex vivo* expansion and selection of retrovirally transduced bone marrow: an efficient methodology for gene-transfer to murine lympho-haemopoietic stem cells 6

A. M. Vannucchi, A. Grossi, D. Rafanelli, M. Statello, S. Cinotti and P. Rossi-Ferrini. Inhibition of erythropoietin production *in vitro* by human interferon gamma 18

Tetsuya Masuda, Yuji Yonemura, Koji Fujimoto, Michihiro Hidaka, Shoichi Nagakura, Hideki Nakakuma, Hiroyuki Hata, Isao Sanada, Makato Kawakita and Kiyoshi Takatsuki. Establishment of a human T-cell line with deficient surface expression of glycosylphosphatidylinositol (GPI)-anchored proteins from a patient with paroxysmal nocturnal haemoglobinuria 24

Karsten Spiekermann, Andreas Emmendoerffer, Joern Elsner, Evelin Raeder, Marie-Luise Lohmann-Matthes, Arndt Prahst, Hartmut Link, Mathias Freund, Karl Welte and Joachim Roesler. Altered surface marker expression and function of G-CSF-induced neutrophils from test subjects and patients under chemotherapy 31

M. Wernli, A. Tichelli, V. von Fliedner, G. Brun del Re, B. Chapuis, M. F. Fey, M. Fopp, J. Gmür, J-P. Grob, E. Jacky, A. Pedrazzini, L. Schmid, H-J. Senn, A. Tobler and A. Gratwohl. Intensive induction/consolidation therapy without maintenance in adult acute lymphoblastic leukaemia: a pilot assessment 39

J. Garcìa-Marco, E. Matutes, R. Morilla, J. Ellis, D. Oscier, J. Fantes, D. Catovsky and Cathy M. Price. Trisomy 12 in B-cell chronic lymphocytic leukaemia: assessment of lineage restriction by simultaneous analysis of immunophenotype and genotype in interphase cells by fluorescence *in situ* hybridization 44

Makoto Katsuno, Sayuri Yamashita, Shingo Sadamura, Tsukuru Umemura, Jouji Hirata, Junji Nishimura and Hajime Nawata. Late-appearing Philadelphia chromosome in a patient with acute non-lymphocytic leukaemia derived from myelodysplastic syndrome: detection of P210- and P190-type *bcr/abl* fusion gene transcripts at the leukaemic stage 51

K. Jani, H. M. Kempski and B. R. Reeves. A case of myelodysplasia with eosinophilia having a translocation t(5;12)(q31;q13) restricted to myeloid cells but not involving eosinophils 57

Claude Preudhomme, Anne Vachee, Pascale Lepelley, Mikhaël Vanrumbeke, Marc Zandecki, Bruno Quesnel, Alain Cosson and Pierre Fenaux. Inactivation of the retinoblastoma gene appears to be very uncommon in myelodysplastic syndromes 61

Marleen H. C. Bakkus, Ivan Van Riet, Ben Van Camp and Kris Thielemans. Evidence that the clonogenic cell in multiple myeloma originates from a pre-switched but somatically mutated B cell 68

Ofer Shpilberg, Michaela Modan, Baruch Modan, Angela Chetrit, Zahava Fuchs and Bracha Ramot. Familial aggregation of haematological neoplasms: a controlled study 75

J. D. Page, R. A. DeLa Cadena, J. E. Humphries and R. W. Colman. An autoantibody to human plasma prekallikrein blocks activation of the contact system 81

Hiroshi Kaneko, Vijay V. Kakkar and Michael F. Scully. Mercury compounds induce a rapid increase in procoagulant activity of monocyte-like U937 cells 87

J. Arnout, M. Vanrusselt, E. Huybrechts and J. Vermylen. Optimization of the dilute prothrombin time for the detection of the lupus anticoagulant by use of a recombinant tissue thromboplastin 94

R. Clemens, C. Pramoolinsap, R. Lorenz, S. Pukrittayakamee, H. L. Bock and N. J. White. Activation of the coagulation cascade in severe falciparum malaria through the intrinsic pathway 100

R. C. Tait, Isobel D. Walker, D. J. Perry, S. I. A. M. Islam, M. E. Daly, F. McCall, J. A. Conkie and R. W. Carrell. Prevalence of antithrombin deficiency in the healthy population 106

Sylvie Jorieux, Christine Gaucher, Geneviève Piétu, Ghislaine Chérel, Dominique Meyer and Claudine Mazurier. Fine epitope mapping of monoclonal antibodies to the NH_2-terminal part of von Willebrand factor (vWF) by using recombinant and synthetic peptides: interest for the localization of the factor VIII binding domain 113

Yoshiaki Tomiyama, Hirokazu Kashiwagi, Satoru Kosugi, Masamichi Shiragu, Seiji Kinoshita, Yoshio Kanayama, Yoshiyuki Kurata and Yuji Matsuzawa. Demonstration of a marked reduction in the amount of GPIIb in most type II patients with Glanzmann's thrombasthenia 119

Susan J. Thorpe, Swee Lay Thein, M. Sampietro, J. E. Craig, B. Mahon and E. R. Huehns. Immunochemical estimation of haemoglobin types in red blood cells by FACS analysis 125

Sheng-Fung Lin, Ta-Chih Liu, Tyen-Po Chen, Shyh-Shin Chiou, Hong-Wen Liu and Jan-Gowth Chang. Diagnosis of thalassaemia by non-isotope detection of α/β and ξ/α mRNA ratios 133

C. L. Harteveld, M. Losekoot, H. Haak, J. G. A. M. Heister, P. C. Giordano and L. F. Bernini. A novel polyadenylation signal mutation in the α_2-globin gene causing α thalassaemia 139

H. C. van Prooijen, J. J. Visser, W. R. van Oostendorp, G. C. de Gast and L. F. Verdonck. Prevention of

primary transfusion-associated cytomegalovirus infection in bone marrow transplant recipients by the removal of white cells from blood components with high-affinity filters 144

F. Alfinito, V. Calabro, M. D. Cappellini, G. Fiorelli, S. Filosa, A. Iolascon, E. Miraglia del Giudice, S. Perrotta, R. Migliorati, D. Vallone, B. Rotoli and L. Luzzatto. Glucose 6-phosphate dehydrogenase deficiency and red cell membrane defects: additive or synergistic interaction in producing chronic haemolytic anaemia 148

Lois J. Ayash, Anthony Elias, Myla Hunt, George Demetri, Catherine Wheeler, Isidore Tepler, Gary Schwartz, Rosemary Mazanet, Elaine Reich, Mary McCauley, Karen Antman and Kenneth C. Anderson. Recombinant human erythropoietin for the treatment of the anaemia associated with autologous bone marrow transplantation 153

Brian M. Cooke, Anthony R. Berendt, Alister G. Craig, John MacGregor, Christopher I. Newbold and Gerard B. Nash. Rolling and stationary cytoadhesion of red blood cells parasitized by *Plasmodium falciparum*: separate roles for ICAM-1, CD36 and thrombospondin 162

P. D. Jensen, F. T. Jensen, T. Christensen and J. Ellegaard. Non-invasive assessment of tissue iron overload in the liver by magnetic resonance imaging 171

SHORT REPORTS

Morio Arai, Naomasa Yamamoto, Noriko Akamatsu, Hidenori Suzuki, Atsumi Yamaguchi, Yasuharu Nishida, Katsuyuki Fukutake and Kenjiro Tanoue. Substantial expression of glycoproteins IX and V on the platelet surface from a patient with Bernard-Soulier syndrome 185

Zor T. Maung, Jean Norden, Peter G. Middleton, Fergus R. Jack and John E. Chandler. Pure red cell aplasia: further evidence of T cell clonal disorder 189

G. H. Jackson, J. A. Latham, A. L. Lennard, P. R. A. Taylor and S. J. Proctor. Rapid onset of chronic granulocytic leukaemia after treatment for Hodgkin's disease 193

F. N. Al-Refaie, S. Wilkes, B. Wonke and A. V. Hoffbrand. The effect of deferiprone (L_1) and desferrioxamine on myelopoiesis using a liquid culture system 196

Thomas P. Loughran, Jr, Pamela Kidd and Bernard J. Poiesz. Familial occurrence of LGL leukaemia 199

J. A. Snowden, M. Greaves and K. Page. Reversal of diabetes associated with escape of myeloma: evidence for inappropriate IGF-II secretion 202

Eric Wattel, Nathalie Cambier, Marie-Thérèse Caulier, Danièle Sautière, Francis Bauters and Pierre Fenaux. Androgen therapy in myelodysplastic syndromes with thrombocytopenia: a report on 20 cases 205

Maria Domenica Cappellini, Maurizio Sampietro, Daniela Toniolo, Giovanni Carandina, Salvatore Pittalis, Franco Martinez di Montemuros, Dari Tavazzi and Gemino Fiorelli. Biochemical and molecular characterization of a new sporadic glucose-6-phosphate dehydrogenase variant described in Italy: G6PD Modena 209

Manuel Tapia, Carlos Richard, Julio Baro, Ricardo Salesa, Javier Figols, Felipe Zurbano and Alberto Zubizarreta. *Scedosporium inflatum* infection in immunocompromised haematological patients 212

Christine Henin, Mike Makris, Julie Brown, Ian R. Peake and Eric F. Preston. Peripheral mononuclear cells of haemophiliacs with chronic liver disease are infected with replicating hepatitis C virus 215

CORRESPONDENCE

N. C. P. Cross, Feng Lin and J. M. Goldman. Appropriate controls for reverse transcription polymerase chain reaction (RT-PCR) 218

Book Reviews; Announcements 219

Vol. 87 No. 2 June 1994

ANNOTATION. Robin J. Olds, David A. Lane and Swee Lay Thein. The molecular genetics of antithrombin deficiency 221

Jaroslaw P. Maciejewski, Stacie Anderson, Prokopis Katevas and Neal S. Young. Phenotypic and functional analysis of bone marrow progenitor cell compartment in bone marrow failure 227

Kaoru Tohyama, Hiroshi Tsutani, Takanori Ueda, Toru Nakamura and Yataro Yoshida. Establishment and characterization of a novel myeloid cell line from the bone marrow of a patient with the myelodysplastic syndrome 235

Koichi Akashi, Shin Hayashi, Hisashi Gondo, Shin-ichi Mizuno, Mine Harada, Kazuo Tamura, Kazuo Yamasaki, Tsunefumi Shibuya, Naokuni Uike, Takashi Okamura, Toshihiro Miyamoto and Yoshiyuki Niho. Involvement of interferon-γ and macrophage colony-stimulating factor in pathogenesis of haemophagocytic lymphohistiocytosis in adults 243

Raymond Lai, Lydia Visser and Sibrand Poppema. Postnatal changes of CD45 expression in peripheral blood T and B cells 251

Ivan Van Riet, Catherine De Greef, Herwig Del Favero, Christian Demanet and Ben Van Camp. Production of fibronectin and adherence to fibronectin by human myeloma cell lines 258

Thomas E. Witzig, Robert A. Kyle, William M. O'Fallon and Philip R. Greipp. Detection of peripheral blood plasma cells as a predictor of disease course in patients with smouldering multiple myeloma 266

Takeshi Inukai, Midori Saito, Taijiro Mori, Kazuyoshi Nishino, Takashi Abe, Akitoshi Kinoshita, Toshio Suzuki, Yoshihiro Kurosawa, Toshiko Okazaki, Kanji Sugita and Shinpei Nakazawa. Analysis of cytoplasmic and surface antigens in childhood T-cell acute lymphoblastic leukaemias: clinical relevance of cytoplasmic TCRβ chain expression 273

Nicholas Goulden, Kenneth Langlands, Colin Steward, Fay Katz, Michael Potter, Judith Chessells and Anthony Oakhill. PCR assessment of bone marrow status in 'isolated' extramedullary relapse of childhood B-precursor acute lymphoblastic leukaemia 282

F. Lauria, D. Raspadori, G. Martinelli, D. Rondelli, M. A. Ventura, P. Farabegoli, P. Tosi, N. Testoni, G. Visani, A. Zaccaria, B. Gamberi, A. Cenacchi and S. Tura. Increased expression of myeloid antigen markers in adult lymphoblastic leukaemia patients: diagnostic and prognostic implications 286

Francisco Cervantes, Judith E. Robertson, Ciril Rozman, Michele Baccarani, Sante Tura, Germán A. Gómez, Thomas J. Braun, Bayard D. Clarkson, Arturo Pereira and the Italian Cooperative CML Study Group. Long-term survivors in chronic granulocytic leukaemia: a study by the International CGL Prognosis Study Group 293

G. Przybylski, H. Oettle, W. D. Ludwig, W. Siegert and C. A. Schmidt. Molecular characterization of illegitimate TCRδ gene rearrangements in acute myeloid leukaemia 301

Kenneth Cornetta, Ann Moore, Thomas Leemhuis, Robert C. Moen, Guido Tricot, David Leibowitz and Ronald Hoffman. Retroviral mediated gene transfer in chronic myelogenous leukaemia 308

Nicholas Novitzky, Peter Jacobs and Wilhelm Rosenstrauch. The treatment of thrombotic thrombocytopenic purpura: plasma infusion or exchange? 317

R. Consonni, A. Falanga and T. Barbui. Further characterization of platelet-aggregating cysteine proteinase activity in thrombotic thrombocytopenic purpura 321

Huei-Shien Chiang, Mark W. Swaim and Tur-Fu Huang. Characterization of platelet aggregation induced by human colon adenocarcinoma cells and its inhibition by snake venom peptides, trigramin and rhodostomin 325

Herm-Jan M. Brinkman, Koen Mertens, Joost Holthuis, Lineke A. Zwart-Huinink, Karin Grijm and Jan A. Van Mourik. The activation of human blood coagulation factor X on the surface of endothelial cells: a comparison with various vascular cells, platelets and monocytes 332

Takatoshi Koyama, Kenji Nishida, Shinichi Ohdama, Megumi Sawada, Naomi Murakami, Shinsaku Hirosawa, Renjiro Kuriyama, Kimihiko Matsuzawa, Ryoichi Hasegawa and Nobuo Aoki. Determination of plasma tissue factor antigen and its clinical significance 343

Ernest Briët, Felix J. M. van der Meer, Frits R. Rosendaal, Jeanine J. Houwing-Duistermaat and Hans C. van Houwelingen. The family history and inherited thrombophilia 348

A. J. Dimovski, D. G. Efremov, L-H. Gu and T. H. J. Huisman. The relative levels of β^A and β^S mRNAs in Hb S heterozygotes and in patients with Hb δ–β^+-thalassaemia of Hb S–β^+-HPFH combinations 353

S. Bilgrami, G. D. Almeida, J. J. Quinn, D. Tuck, S. Bergstrom, N. Dainiak, C. Poliquin and J. L. Ascensao. Pancytopenia in allogeneic marrow transplant recipients: role of cytomegalovirus 357

W. A. L. Heaton, S. Holme, K. Smith, M. E. Brecher, A. Pineda, J. P. AuBuchon and E. Nelson. Effects of 3–5 $\log_{10}$ pre-storage leucocyte depletion on red cell storage and metabolism 363

Nicole Casadevall, Laure Croisille, Isabelle Auffray, Gil Tchernia and Laure Coulombel. Age-related alterations in erythroid and granulopoietic progenitors in Diamond-Blackfan anaemia 369

Amos Toren, Frida Brok-Simoni, Isaac Ben-Bassat, Fanny Holtzman, Mathilda Mandel, Yoram Neumann, Bracha Ramot, Gideon Rechavi and George Kende. Congenital haemolytic anaemia associated with adenylate kinase deficiency 376

Brigitte Bader-Meunier, Agnes Rötig, Francoise Mielot, Jean Maurice Lavergne, Laure Croisille, Pierre Rustin, Pierre Landrieu, Jean Paul Dommergues, Arnold Munnich and Gil Tchernia. Refractory anaemia and mitochondrial cytopathy in childhood 381

Mark I. Rees, Mark Worwood, Peter W. Thompson, Clive Gilbertson and Alison May. Red cell dimorphism in a young man with a constitutional chromosomal translocation t(11;22)(p15.5;q11.21) 386

SHORT REPORTS

K. Ogata, H. Fujii, N. Yokose, E. An, H. Tamura, K. Kamikubo, K. Dan, H. Hamaguchi, H. Sakamaki, Y. Onozawa and T. Nomura. Defective natural killer (NK) cell-mediated cytotoxicity does not imply clonal involvement of NK cells in myelodysplastic syndromes 396

Harmen van Kamp, Jan W. Smit, Eva ven den Berg, M. Ruud Halie and Edo Vellenga. Myelodysplasia following paroxysmal nocturnal haemoglobinuria: evidence for the emergence of a separate clone 399

L. Longo, M. Bessler, P. Beris, D. Swirsky and L. Luzzatto. Myelodysplasia in a patient with pre-existing paroxysmal nocturnal haemoglobinuria: a clonal disease originating from within a clonal disease 401

Hiroshi Sato, Mikio Danbara, Masato Tamura and Makoto Morita. Eosinophilic leukaemia with a t(2;5) (p23;q35) translocation 404

Corrado Girmenia, Francesca Romana Mauro and Siavash Rahimi. Late listeriosis after fludarabine plus prednisolone treatment 407

E. Nacheva, T. Holloway, K. Brown, D. Bloxham and A. R. Green. Philadelphia-negative chronic myeloid leukaemia: detection by FISH of BCR-ABL fusion gene localized either to chromosome 9 or chromosome 22 409

Philippe Hermans, Andrea Gori, Marc Lemone, Patricia Franchioly and Nathan Clumeck. Possible role of granulocyte-macrophage colony stimulating factor (GM-CSF) on the rapid progression of AIDS-related Kaposi's sarcoma lesions *in vivo* 413

Junji Tanaka, Masahiro Imamura, Masaharu Kasai, Sumiko Kobayashi, Satoshi Hashino, Hajime Kobayashi, Keisuke Sakurada and Tamotsu Miyazaki. Cytokine gene expression in the mixed lymphocyte culture in allogeneic bone marrow transplants as a predictive method for transplantation-related complications 415

M. Makris, F. E. Preston and S. Ralph. Increased soluble IL-2 receptor levels in HCV-infected haemophiliacs: a possible indicator of liver disease severity 419

Ted Koster, Frits R. Rosendaal, Ernest Briët and Jan P. Vandenbroucke. John Hageman's factor and deep-vein thrombosis: Leiden Thrombophilia Study 422

Hiroyuki Nakai, Shinichi Misawa, Masafumi Taniwaki, Shigeo Horiike, Teruyuki Takashima, Taku Seriu, Hitoshi Nakagawa, Hirochi Fujii, Chihiro Shimazaki, Naoyuki Maruo, Teruaki Akaogi, Naokuni Uike, Tatsuo Abe and Kei Kashima. Prognostic significance of loss of a chromosome 17p and p53 gene mutations in blast crisis of chronic myelogenous leukaemia 425

E.-L. Stein, J. Bux, S. Santoso and C. Mueller-Eckhardt. Typing of the granulocyte-specific NA antigens by restriction fragment length polymorphism analysis 428

M. Vickers, P. Stross, P. Millard and C. Barton. Response of T-beta $CD8^+$ lymphocytosis-associated neutropenia to G-CSF 431

E. C. Castenskiold, B. T. Colvin and S. M. Kelsey. Acquired factor VIII inhibitor associated with chronic interferon-alpha therapy in a patient with haemophilia A 434

Mark Levasseur, Zor T. Maung, Graham H. Jackson, Jennifer Kernahan, Stephen J. Proctor and Peter G. Middleton. Relapse of acute lymphoblastic leukaemia 14 years after presentation: use of molecular techniques to confirm true re-emergence 437

CORRESPONDENCE

James G. White, Ginés Escolar, C. Soria, E. M. Cramer, H. Lu and S. Menashi. Restoring platelet adhesion function 439

Y. L. Kwong, K. F. Wong and T. K. Chan. Toxic exposures and haematological disorders 442

J. Arvieux, B. Roussel, Juzo Matsuda, Noriko Saitoh, Kengo Gohchi, Moritaka Gotoh and Miyo Tsukamoto. Influence of Tween 20 on the detection of β_2-glycoprotein I-dependent anticardiolipin antibodies 443

Pierre Fenaux and Laurence Detourmignies. Therapy-related acute promyelocytic leukaemia 445

Book Review; Announcement 446

Vol. 87 No. 3 **July 1994**

ANNOTATION. Mark A. Kirkland, Stephen G. O'Brien and John M. Goldman. Antisense therapeutics in haematological malignancies 447

I. G. H. Schmidt-Wolf, P. Lefterova, V. Johnston, D. Huhn, K. G. Blume and R. S. Negrin. Propagation of large numbers of T cells with natural killer cell markers 453

T. W. J. Huizinga, M. de Haas, M. H. J. van Oers, M. Kleijer, H. Vilé, P. A. van der Wouw, A. Moulijn, H. van Weezel, D. Roos and A. E. G. Kr. von dem Borne. The plasma concentration of soluble Fc-gamma RIII is related to production of neutrophils 459

Jan Samuelsson, Jan Forslid, Jan Hed and Jan Palmblad. Studies of neutrophil and monocyte oxidative responses in polycythaemia vera and related myeloproliferative disorders 464

Yan Li, Gilles Hetet, Anne-Marie Maurer, Yasmine Chait, Didier Dhermy and Jean Briere. Spontaneous megakaryocyte colony formation in myeloproliferative disorders is not neutralizable by antibodies against IL3, IL6 and GM-CSF 471

Inger Marie Jensen and Peter Hokland. The proliferative activity of myelopoiesis in myelodysplasia evaluated by multiparameter flow cytometry 477

Ivana Kim, Hiroshi Uchiyama, Dharminder Chauhan and Kenneth C. Anderson. Cell surface expression and functional significance of adhesion molecules on human myeloma-derived cell lines 483

Carmela Attisano, Alberto Bianchi, Laura Montacchini, Nadia Carlesso, Silvia Peola, Benedetto Bruno, Viviana Roux, Dario Ferrero, Eugenio Gallo, Mario Boccadoro, Alessandro Pileri and Massimo Massaia. Generation of anti-tumour activity by OKT3-stimulation in multiple myeloma: *in vitro* inhibition of autologous haemopoiesis 494

Angelo Vacca, Domenico Ribatti, Luisa Roncali, Girolami Ranieri, Gabriella Serio, Franco Silvestris and Franco Dammacco. Bone marrow angiogenesis and progression in multiple myeloma 503

P. Wood, R. Burgess, A. MacGregor and J. A. Liu Yin. P-glycoprotein expression on acute myeloid leukaemia blast cells at diagnosis predicts response to chemotherapy and survival 509

Antonio Cuneo, Hilde Demuynck, Augustin Ferrant, Andries Louwagie, Chantal Doyen, Michel Stul, Jean-Jacques Cassiman, Paola Dal Cin, Massimo Negrini, Maria Gretel Carli, Marc Boogaerts, Jean-Louis Michaux, Gianluigi Castoldi and Herman van den Berghe. Minor myeloid component in Ph chromosome-positive acute lymphoblastic leukaemia: correlation with cytogenetic pattern and implication for poor response to therapy 515

A. Criel, I. Wlodarska, P. Meeus, M. Stul, A. Louwagie, A. van Hoof, M. Hidajat, C. Mecucci and H. van den Berghe. Trisomy 12 is uncommon in typical chronic lymphocytic leukaemias 523

Wolfgang Siegert, Christoph Nerl, Marianne Engelhard, Günter Brittinger, Markus Tiemann, Reza Farwaresch, Renate Heinz and Dieter Huhn. Peripheral T-cell non-Hodgkin's lymphomas of low malignancy: prospective study of 25 patients with pleomorphic small cell lymphoma, lymphoepitheliod cell (Lennert's) lymphoma and T-zone lymphoma 529

Ming Yao, Ann-Lii Cheng, Ih-Jen Su, Ming-Tseh Lin, Wu-Ching Uen, Hwei-Fan Tien, Chiu-Hwa Wang and Yao-Chang Chen. Clinicopathological spectrum of haemophagocytic syndrome in Epstein-Barr virus-associated peripheral T-cell lymphoma 535

Hamdi Akan, Meral Beksaç, Ismet Aydoğdu, Haluk Koç, Osman Ilhan and Muhit Özcan. Peripheral T cell receptors $\alpha\beta$ and $\gamma\delta$ in patients with Hodgkin's lymphoma 544

G. H. Goldsmith, S. S. Pierangeli, D. W. Branch,

A. E. Gharavi and E. N. Harris. Inhibition of prothrombin activation by antiphospholipid antibodies and β_2-glycoprotein 1 548

Paul Telfer, Caroline Sabin, Helen Devereux, Fiona Scott, Geoffrey Dusheiko and Christine Lee. The progression of HCV-associated liver diease in a cohort of haemophilic patients 555

Hans Deckmyn, Patrick Stanssens, Bernard Hoet, Paul J. Declerck, Marc Lauwereys, Yannick Gansemans, Istvan Tornai and Jos Vermylen. An echistatin-like Arg-Gly-Asp (RGD)-containing sequence in the heavy chain CDR3 of a murine monoclonal antibody that inhibits human platelet glycoprotein IIb/IIIa function 562

Kyuichi Nemoto, Miwa Ogino, Yumi Sugawara, Fuminori Abe, Junpei Ito and Tomio Takeuchi. Improvement of mitomycin C- and cyclophosphamide-induced thrombocytopenia and leucocytopenia by prior treatment with deoxyspergualin in dogs 572

Robert W. A. M. Kuijpers, John N. van den Anker, Wim Baerts and Albert E. G. Kr. von dem Borne. A case of severe neonatal thrombocytopenia with schizencephaly associated with anti-HPA-1b and anti-HPa-2a 576

Joseph Kurantsin-Mills, Basil O. Ibe, Clayton L. Natta, J. Usah Raj, Robert S. Siegel and Lawrence S. Lessin. Elevated urinary levels of thromboxane and prostacyclin metabolites in sickle cell disease reflects activated platelets in the circulation 580

Graham R. Serjeant, Charles D. E. Ceulaer, Rosemary Lethbridge, Joanne Morris, Atul Singhal and Peter W. Thomas. The painful crisis of homozygous sickle cell disease: clinical features 586

Helena Croizat. Circulating cytokines in sickle cell patients during steady state 592

M. A. Grijzenhout, M. I. Aarts-Riemens, F. H. J. Claas and H. C. van Prooijen. Prevention of MHC-alloimmunization by UV-B irradiation in a murine model: effects of UV dose and number of transfused cells 598

Attila Major, Christian Bauer, Christian Breymann, Albert Huch and Renate Huch. rh-Erythropoietin stimulates immature reticulocyte release in man 605

Peter Dreger, Torsten Haferlach, Volker Eckstein, Sophia Jacobs, Meinolf Suttorp, Helmut Löffler, Wolfgang Müller-Ruchholtz and Norbert Schmitz. G-CSF-mobilized peripheral blood progenitor cells for allogeneic transplantation: safety, kinetics of mobilization, and composition of the graft 609

SHORT REPORTS

Carlos Ulibarrena, Ana Vecino and Jesús M. Cesar. Red cell lipid abnormalities in acquired acanthocytosis are extended to platelets 614

Yasunori Kawachi, Yukihiro Sakamoto, Toshiki Shidahara, Takako Abe, Tatsumi Uchida, Kazunori Sasaki and Kazuma Ikeda. Burkitt type leukaemia associated with multiple myeloma 617

G. Castello, R. Lerza, A. Cerruti, D. Cavallini, G. Bogliolo and I. Pannacciulli. The *in vitro* and *in vivo* effect of recombinant interferon α-2a on circulating haemopoietic progenitors in polycythaemia vera 621

Jose Roman, Pilar Andres, Maria A. Jimenez and Antonio Torres. Lymphoid blast crisis at the onset of chronic myelogenous leukaemia: molecular evidence 624

A. Foti and M. J. Cline. Sequential relapses of blastic crisis may involve different clones of cells with different molecular abnormalities 627

Philippe Bierling, Ali Bettaieb, Patricia Fromont, Marina Favrin and Najib Duedari. Anti-GMP140 (CD62) autoantibody in a patient with autoimmune thrombocytopenic purpura 631

Baskaran Thilaganathan, Kypros H. Nicolaides and Gareth Morgan. Subpopulations of CD34-positive haemopoietic progenitors in fetal blood 634

H. M. Jones, M. Nathrath, R. M. Thomas, P. Edelman, C. H. Rodeck and D. C. Linch. The effects of gestation on circulating progenitor cells 637

Shuji Nakamura, Eiichi Godha, Yoshinobu Matsuo, Itaru Yamamoto and Jun Minowada. Significant amount of hepatocyte growth factor detected in blood and bone marrow plasma of leukaemia patients 640

Kimiharu Uozumi, Shuichi Hanada and Terukatsu Arima. Elevated levels of soluble factors in the cerebrospinal fluid in patients with adult T-cell leukaemia complicated with meningeal infiltration 643

R. Chopra, A. C. Wotherspoon, S. Blair, A. K. McMillan, W. Mills, A. K. Fielding, D. C. Linch and A. H. Goldstone. Detection and significance of bone marrow infiltration at the time of autologous bone marrow transplantation in Hodgkin's disease 647

C. G. Christopoulos and S. J. Machin. A new type of pseudothrombocytopenia: EDTA-mediated agglutination of platelets bearing Fab fragments of a chimaeric antibody 650

Herbert Sandström, Anders Wahlin, Mikael Eriksson and Ingmar Bergström. Serum thymidine kinase in congenital dyserythropoietic anaemia type III 653

Silvie E. Delikat, David W. Galvani and Mirko Zuzel. A function of CD10 on bone marrow stroma 655

Y-M. D. Lo, L. Noakes, P. J. Bowell, K. A. Fleming and J. S. Wainscoat. Detection of fetal RhD sequence from peripheral blood of sensitized RhD-negative pregnant women 658

Masao Hirose, Ryuji Nakagawa, Akira Okada, Toshiaki Sano and Yasuhiro Kuroda. Splenectomy for treatment of immunoblastic lymphadenopathy 661

W. G. Meijer, M. Van Marwijk Kooy and B. E. Laddé. A patient with multiple myeloma and respiratory insufficiency due to accumulation of paraprotein in the alveolar space 663

Tohru Izumi, Kazuo Muroi, Masa-aki Takatoku, Shigehiko Imagawa, Kiyohiko Hatake and Yasusada Miura. Development of acute myeloblastic leukaemia in a case of aplastic anaemia treated with granulocyte colony-stimulating factor 666

CORRESPONDENCE

Arne Loraas, Anders Waage and Jon Lamvik. Cytokine response pattern in Sweet's syndrome associated with myelodysplasia 669

Mindy Goldman, Francine Décary, Michèle David and

MICHAEL KANTER. Should all pregnant women be tested for their platelet PLA (Zw, HPA-1) phenotype? 670
P. T. MURPHY, B. ALLEN and R. M. HUTCHINSON. Plasma viscosity and erythrocyte sedimentation rate in suspected cases of temporal arteritis 671
British Society for Haematology News 672
Book Review; Announcements 674

Vol. 87, No. 4 August 1994

ANNOTATION. AMOS TOREN and GIDEON RECHAVI. The anti-apoptotic role of infectious agents in lymphoid malignancies characterized by c-myc deregulation 675
I. TEPLER, A. ELIAS, L. KALISH, L. SHULMAN, G. STRAUSS, A. SKARIN, T. LYNCH, D. LEVITT, D. RESTA, G. DEMETRI, L. GAYNES and L. SCHNIPPER. Effect of recombinant human interleukin-3 on haematological recovery from chemotherapy-induced myelosuppression 678
K. J. TILL and J. C. CAWLEY. Accessory cells mediate hairy-cell proliferation by mechanism(s) involving both adhesion and TNFα secretion 687
LAWRENCE T. GOODNOUGH, THOMAS H. PRICE, CURTIS A. PARVIN, KENNETH D. FRIEDMAN, WILLIAM R. VOGLER, NURJEHAN KHAN, RONALD SACHER, MARILYN JOHNSTON, MARY WISSEL and DAVID CIAVARELLA. Erythropoietin response to anaemia is not altered by surgery or recombinant human erythropoietin therapy 695
D. J. HOVGAARD, M. FOLKE, B. T. MORTENSEN and N. I. NISSEN. Recombinant human interleukin-3: pharmacokinetics after intravenous and subcutaneous bolus injection and effects on granulocyte kinetics 700
M. A. FRENKEL, N. N. TUPITSYN, A. K. PROTASOVA, Z. G. KADAGIDZE, L. N. KONSTANTINOVA and E. W. FLEISCHMAN. Blast cells in child and adult AML: comparative study of morphocytochemical, immunological and cytogenetic characteristics 708
ELIAS S. J. ARNÉR, TATJANA SPASOKOUKOTSKAJA, GUNNAR JULIUSSON, JAN LILIEMARK and STAFFAN ERIKSSON. Phosphorylation of 2-chlorodeoxyadenosine (CdA) in extracts of peripheral blood mononuclear cells of leukaemic patients 715
CARSTEN E. KAMPE, SARAH HART, RICHARD A. MILLER, ALAN LICHTENSTEIN, ROBERT A. KYLE and JAMES R. BERENSON. Expression of shared idiotypes by paraproteins from patients with monoclonal gammopathy of undetermined significance 719
MARKKU LAAKSO, REINO LAHTINEN, PEKKA VIRKKUNEN and INKERI ELOMAA for the Finnish Leukaemia Group. Subgroup and cost–benefit analysis of the Finnish multicentre trial of clodronate in multiple myeloma 725
MELETIOS A. DIMOPOULOS, JEANE HESTER, YUNG HUH, RICHARD CHAMPLIN and RAYMOND ALEXANIAN. Intensive chemotherapy with blood progenitor transplantation for primary resistant multiple myeloma 730
MAKOTO TAKISHITA, MASAAKI KOSAKA, TETSUYA GOTO and SHIRO SAITO. Cellular origin and extent of clonal involvement in multiple myeloma: genetic and phenotypic studies 735
P. J. WILLIAMSON, A. R. KRUGER, P. J. REYNOLDS, T. J. HAMBLIN and D. G. OSCIER. Establishing the incidence of myelodysplastic syndrome 743
J. M. BENNETT, D. CATOVSKY, M. T. DANIEL, G. FLANDRIN, D. A. G. GALTON, H. GRALNICK, C. SULTAN and C. COX. The chronic myeloid leukaemias: guidelines for distinguishing granulocytic, atypical chronic myeloid, and chronic myelomonocytic leukaemia. Proposals by the French–American–British Cooperative Leukaemia Group 746
JEAN-LUC PLANTIER, ROLANDE BERTHIER, YVES RIVAL, ANNIE SCHWEITZER and MARIE-JOSÈPHE RABIET. Evidence for a selective inhibitory effect of thrombin on megakaryocyte progenitor growth mediated by the thrombin receptor 755
HABIB BOUKERCHE, ODILE BERTHIER-VERGNES, FRANÇOIS PENIN, ERIC TABONE, GÉRARD LIZARD, MIREILLE BAILLY and JOHN L. MCGREGOR. Human melanoma cell lines differ in their capacity to release ADP and aggregate platelets 763
D. M. KENNEY, R. REID, D. W. PARENT, F. S. ROSEN and E. REMOLD-O'DONNELL. Evidence implicating calpain (Ca^{2+}-dependent neutral protease) in the destructive thrombocytopenia of the Wiskott-Aldrich syndrome 773
D. P. THOMAS, K. K. HAMPTON, H. DASANI, C. A. LEE, P. L. F. GIANGRANDE, C. HARMAN, M. L. LEE and F. E. PRESTON. A cross-over pharmacokinetic and thrombogenicity study of a prothrombin complex concentrate and a purified factor IX concentrate 782
M. S. FIGUEIREDO, D. J. BOWEN, W. A. SILVA, JR and M. A. ZAGO. Factor IX gene haplotypes in Brazilian Blacks and characterization of unusual DdeI alleles 789
PRANEE WINICHAGOON, SUTHAT FUCHAROEN, PRAPON WILAIRAT, KAZUO CHICHARA and YASUYUKI FUKUMAKI. Nondeletional type of hereditary persistance of fetal haemoglobin: molecular characterization of three unrelated Thai HPFH 797
L. M. WILLIAMSON, J. POOLE, C. REDMAN, N. CLARK, Y. W. LIEW, D. C. RUSSO, S. LEE, M. E. REID and A. J. BLACK. Transient loss of proteins carrying Kell and Lutheran red cell antigens during consecutive relapses of autoimmune thrombocytopenia 805
CHANTAL PROULX, MARIO FILION, MINDY GOLDMAN, AMANDA BRADLEY, DANA DEVINE, FRANCINE DÉCARY and PIERRE CHARTRAND. Analysis of immunoglobulin class, IgG subclass and titre of HPA-1a antibodies in alloimmunized mothers giving birth to babies with or without neonatal alloimmune thrombocytopenia 813
N. FRICKHOFEN, Z. J. CHEN, N. S. YOUNG, B. J. COHEN, H. HEIMPEL and J. L. ABKOWITZ. Parvovirus B19 as a cause of acquired chronic pure red cell aplasia 818
W. I. BENSINGER, K. LONGIN, F. APPELBAUM, S. ROWLEY, C. WEAVER, K. LILLEBY, T. GOOLEY, M. LYNCH, T. HIGANO, J. KLARNET, T. CHAUNCEY, R. STORB and C. D. BUCKNER. Peripheral blood stem cells (PBSCs) collected after recombinant granulocyte colony stimulating factor (rhG-CSF): an analysis of factors correlating with the tempo of engraftment after transplantation 825

SHORT REPORTS

JUN TSUCHIYA, HIROKAZU MURAKAMI, TADASHI KANOH, MASAKI KOSAKA, TATSUO SEZAKI, CHIKARA MIKUNI,

Masafumi Kawato, Toshiyuki Takagi, Atsushi Togawa, Takashi Isobe, Kenshi Suzuki, Yukio Imamura and Kiyoshi Takasuki. Ten-year survival and prognostic factors in multiple myeloma 832

Renato Bassan, Alessandro Rambaldi, Ricardo Amaru, Teresio Motta and Tiziano Barbui. Unexpected remission of acute myeloid leukaemia after GM-CSF 835

Hiroyuki Nakai, Hiroto Kaneko, Shigeo Horiike, Yuko Ariyama, Shinichi Misawa, Kei Kashima and Kanji Ishizaki. Multiple aberrant splicing of the p53 transcript without genomic mutations around exon–intron junctions in a case of chronic myelogenous leukaemia in blast crisis: a possible novel mechanism of p53 inactivation 839

G. Reining, K. Clodi, M. König, K. Geissler, O. A. Haas and C. Mannhalter. Detection of trisomy 12 in chronic lymphocytic leukaemia: comparison of a polymerase chain reaction based technique with fluorescence *in situ* hybridization 843

Elizabeth M. Duncan, Bruce M. Duncan, Lynn J. Tunbridge and John V. Lloyd. Familial discrepancy between the one-stage and two-stage factor VIII methods in a subgroup of patients with haemophilia A 846

Dominique G. Costagliola, Mariane de Montalembert, Jean-Jacques Lefrère, Catherine Briand, Paolo Rebulla, Sylvain Baruchel, Carlo Dessi, Pierre Fondu, Markissia Karagiorga, Henri Perrimond and Robert Girot. Dose of desferrioxamine and evolution of HIV-1 infection in thalassaemic patients 849

Mitsunobu Adachi, Tadahiko Shiomura, Hideto Shimada, Norihumi Kishimoto, Kei Iida, Humiaki Ikeno, Haruo Nishimura, Tatsuhide Inoue and Yoshiyasu Sako. Adult T-cell leukaemia with various abnormalities in endocrine and metabolic systems 853

Olivier Fain, Abdellatif El M'Selmi, Christine Dosquet, Didier Meseure, Françoise Lejeune, Jean-Michel Garel and Michel Thomas. Hypercalcaemia in B cell chronic lymphocytic leukaemia 856

Robert A. Brodsky, Setsuo Hasegawa, Eitan Fibach, Cynthia E. Dunbar, Neal S. Young and Griffin P. Rodgers. Acquired sideroblastic anaemia following progesterone therapy 859

Monica Bessler, Philip J. Mason, Peter Hillmen and Lucio Luzzatto. Mutations in the PIG-A gene causing partial deficiency of GPI-linked surface proteins (PNH II) in patients with paroxysmal nocturnal haemoglobinuria 863

Gaetano Bergamaschi, Marina Podestà, Francesco Frassoni, Vittorio Rosti, Angelo Michele Carella, Giuseppe Saglio and Mario Cazzola. Restoration of normal polyclonal haemopoiesis in patients with chronic myeloid leukaemia autografted with Ph-negative peripheral stem cells 867

Sabri Kemahli, Duran Canatan, Zümrüt Uysal, Nejat Akar, Sükrü Cin and Ayten Arcasoy. GM-CSF in the treatment of Fanconi's anaemia 871

G. Cook, Isobel D. Walker, Frances McCall, J. A. Conkie and I. A. Greer. Familial thrombophilia and activated protein C resistance: a thrombotic risk in pregnancy? 873

CORRESPONDENCE

Peter Hokland, Pia Mikkelsen and Erik Segel. IL-6 might relieve long-standing thrombocytopenia in autotransplanted AML patients 876

F. R. Jack, S. R. Smith and P. W. G. Saunders. Idiopathic myelofibrosis: anaemia may respond to low-dose dexamethasone 877

P. Bernadeschi and I. Bonechi. Prognostic significance of auer rods in myelodysplasia 878

Pellegrino Musto, Giovanni D'Arena, Lorella Melillo, Nicola Cascavilla, Antonio La Sala, Saverio Ladogana and Mario Carotenuto. Spontaneous remission in acute myeloid leukaemia: a role for endogenous production of tumour necrosis factor and interleukin-2? 879

Alain Delmer, Emmanuel Heron, Jean-Pierre Marie and Robert Zittoun. Spontaneous remission in acute myeloid leukaemia 880

Rosemary E. Gale, David C. Linch, Norifumi Tsukamoto and Masamitsu Karasawa. Lineage involvement in chronic myeloproliferative disorders 882

S. R. Smith and L. Morgan. Immunoreactive interleukin-6 and C-reactive protein in plasma cell disorders 883

Book Reviews; Announcements 885

Author and Keyword Indexes to Volume 87 887

Vol. 87 Suppl. 1 **May 1994**

Abstracts of papers presented at the First Meeting of the European Haematology Association, Brussels, Belgium, 2–5 June 1994